



## REVIEW ON BIOMEDICAL METAPHORS ANALYSIS USING CONVOLUTIONAL NEURAL NETWORK

**Pratibha Sonawane**

Research scholar, Sandip University, Nashik, [pratibhasonawane@yahoo.com](mailto:pratibhasonawane@yahoo.com)

**Dr. Jagdish Helonde**

Guide and Professor, Sandip University, Nashik, [jbhelonde60@gmail.com](mailto:jbhelonde60@gmail.com)

**Dr. Prakash Burade**

Dean and Professor, Sandip University, Nashik, [prakash.burade@gmail.com](mailto:prakash.burade@gmail.com)

**Dr. Mangesh Nikose**

Head and Professor, Sandip University, Nashik,

**Abstract:** The science of solving clinical problems by analyzing images generated in clinical practice is understood as medical metaphors analysis. The aim is to extract information in an efficient manner for improved clinical diagnosis. The recent advances within the field of biomedical engineering have made medical image analysis one of the top research and development area. One among the reasons for this advancement is the application of machine learning techniques for the analysis of medical images. The tremendous success of machine learning algorithms at image recognition tasks in recent years intersects with a time of dramatically increased use of electronic medical records and diagnostic imaging. This review introduces the machine learning algorithmic era of medical big data applied to medical image analysis, that specialize in convolutional neural networks, and emphasizing clinical aspects of the sector without laborious hand craft features. Deep learning is successfully used as a tool for machine learning, where a neural network is capable of automatically learning features. This is often in contrast to those methods where traditionally hand crafted features are used. The choice and calculation of these features is a challenging task. Among deep learning techniques, deep convolutional networks are actively used for the aim of medical image analysis. This study include application areas like segmentation, abnormality detection, disease classification, computer aided diagnosis and retrieval.

**Keywords:** Convolutional neural network, Machine learning, deep learning, Computer aided diagnosis, Medical image analysis.

### I. INTRODUCTION

Machine learning algorithms have the potential to be invested with deeply altogether fields of medication, from drug discovery to clinical higher cognitive process, considerably sterilization the means medication is practiced. The success of machine learning algorithms at laptop vision

tasks in recent years comes at an opportune time once medical records square measure more and more digitalized. The employment of electronic health records (EHR) quadrupled from 11.8% to 39.6% amongst office-based physicians within the US from 2007 to 2012 [1]. Medical pictures square measure an integral a part of a patient's EHR and square measure presently analyzed by human radiologists, WHO square measure restricted by speed, fatigue, and knowledge. It takes years and nice monetary price to coach a professional medical specialist, and a few health-care systems source radiology news to lower-cost countries like Bharat via tele-radiology. A delayed or incorrect diagnosing causes damage to the patient. Therefore, it's ideal for medical image analysis to be administrated by an automatic, correct and economical machine learning formula. Medical image analysis is a lively field of analysis for machine learning, part as a result of the information is comparatively structured and labeled, and it's doubtless that this may be the realm wherever patients 1st move with functioning, sensible computing systems. This is often important for 2 reasons. Firstly, in terms of actual patient metrics, medical image analysis could be a litmus {test acid-base indicator} test on whether or not computing systems can really improve patient outcomes and survival. Secondly, it provides a test-bed for human-AI interaction, of however receptive patients are going to be towards health sterilization decisions being created, or assisted by a non-human actor.

#### **A. STYLES OF MEDICAL IMAGING**

There is a myriad of imaging modalities, and also the frequency of their use is increasing. Smith-Bindman et al. [2] checked out imaging use from 1996 to 2010 across six massive integrated health care systems. The authors found that over the study amount, CT, magnetic resonance imaging and PET usage accrued. Modalities of digital medical pictures embrace ultrasound (US), X-ray, Computed Tomography (CT) scans and magnetic- resonance imaging (MRI) scans, positron emission imaging (PET) scans, retinal photography, microscopic anatomy slides, and dermoscopy. The number of knowledge generated from every study additionally varies. A microscopic anatomy slide is pictures file of some megabytes whereas one magnetic resonance imaging could also be some hundred megabytes. This has technical implications on the means the information is pre-processed, and on the planning of an algorithm's design, within the context of processor and memory limitations.

#### **B. HISTORY OF MEDICAL IMAGE ANALYSIS**

One early implementation in medication was the MYCIN system by Shortliffe [3] that advised totally different regimes of antibiotic therapies for patients. Parallel to those developments, AI algorithms affected from heuristics-based techniques to manual, handcrafted feature extraction techniques and so to supervised learning techniques. Unsupervised machine learning ways also are being researched, however the bulk of the algorithms from 2015-2017 within the revealed literature have utilized supervised learning ways, specifically Convolutional Neural Networks (CNN) [4]. Apart from the provision of huge labeled knowledge sets being accessible, hardware advancements in Graphical process Units (GPUs) have additional to enhancements in CNN performance, and their widespread use in medical image analysis. McCulloch and Pitts [5] delineate the primary artificial vegetative cell in 1943, which developed into the perceptron posited by Rosenblatt [6] in 1958. In essence, a synthetic neural network could be a layer of connected perceptrons linking inputs and outputs, and deep neural networks square measure multiple layers of artificial neural networks. The advantage of a deep neural network is its ability to mechanically learn important low level options (such as lines or edges), and combine

them to higher level options (such as shapes) within the sequent layers. Apparently, this is often however the class and human visual cortices square measure thought to method visual info and acknowledge objects [7]. CNNs might have their origins within the Neocognitron construct planned by Fukushima [8] in 1982, however it absolutely was Lecun et al. [9] WHO formalized CNNs and used the error back propagation delineate by Rumelhart et al. [10], to with success perform the automated recognition of written digits. The widespread use of CNNs in image recognition passed off once Krizhevsky et al. [11] won the 2012 Image-net massive Scale Visual Recognition Challenge (ILSVRC) with a CNN that had a 15 August 1945 error rate. The runner up had virtually doubled the error rate at twenty sixth. Krizhevsky et al. introduced important ideas that square measure utilized in CNNs these days, as well as the employment of corrected linear measure (RELU) functions in CNNs, knowledge augmentation and dropout. Since then, CNNs have featured because the most used design in each ILSVRC competition, surpassing human performance at recognizing pictures in 2015. Correspondingly, there has been a dramatic increase within the variety of analysis papers revealed on CNN design and applications, such CNNs became the dominant design in medical image analysis.

### **C. CONVOLUTIONAL NEURAL NETWORKS**

Both the 2-dimensional and 3-dimensional structures of an organ being studied are crucial so as to spot what's traditional versus abnormal. By maintaining these native abstraction relationships, CNNs are well-suited to perform image recognition tasks. CNNs are place to figure in many ways, together with image classification, localization, detection, segmentation and registration. CNNs are the foremost common machine learning algorithmic rule in image recognition and visual learning tasks, thanks to its distinctive characteristic of protective native image relations, whereas acting spatiality reduction. This captures necessary feature relationships in a picture (such as however pixels on a footing be part of to make a line), and reduces the quantity of parameters the algorithmic rule has got to calculate, increasing procedure potency. CNNs are ready to take as inputs and method each 2-dimensional picture, similarly as 3-dimensional pictures with minor modifications. This can be a helpful advantage in coming up with a system for hospital use, as some modalities like X-rays are 2-dimensional whereas others like CT or imaging scans are three-d volumes. CNNs and perennial Neural Networks (RNNs) are samples of supervised machine learning algorithms that need vital amounts of coaching knowledge. Unattended learning algorithms have conjointly been studied to be used in medical image analysis. These embrace Autoencoders, Restricted Ludwig Boltzmann Machines (RBMs), Deep Belief Networks (DBNs), and Generative Adversarial Networks (GANs).[38]

D. The aim of this report is to supply an outline on the state of machine learning algorithms as applied to medical imaging, with a stress on that aspects are most helpful to the practitioner, as a number of the authors are active surgeons and radiologists. It's hoped that this attitude aids analysers in moving from being at bay within the native minima of speculative research, to coming up with implementable systems which will impact bioscience and patient care. Section II describes varied machine learning architectures employed in medical image analysis, with a stress on CNNs.[39] Machine learning is freely classified into supervised, unsupervised, Semi-supervised and Reinforcement learning methods; Section III dives into completely different application areas. Section IV concludes with obstacles that the sector of medical image analysis faces, and a few of the longer term attainable directions

## II. MACHINE LEARNING ARCHITECTURES

### A. SUPERVISED LEARNING MODELS

#### 1) CONVOLUTIONAL NEURAL NETWORKS

Currently, CNNs are the foremost researched machine learning algorithms in medical image analysis [4]. The explanation for this can be that CNNs preserve abstraction relationships once filtering input pictures. As mentioned, spatial relationships are of crucial importance in radiology, as an example, in however the sting of a bone joins with muscle, or wherever traditional respiratory organ tissue interfaces with cancerous tissue, a CNN takes AN input image of raw pixels, and transforms it via Convolutional Layers, corrected long measure (RELU) Layers and Pooling Layers. This feeds into a final absolutely Connected Layer that assigns category scores or possibilities, so classifying the input into the category with the very best likelihood.[40]

##### a: CONVOLUTION LAYER

A convolution is outlined as an operation on 2 functions. In image analysis, one operate consists of input values (e.g. element values) at a foothold within the image, and also the second operate could be a filter (or kernel); every will be diagrammatical as array of numbers. Computing the inner product between the 2 functions offers an output. The filter is then shifted to future position within the image as outlined by the stride length. The computation is continual till the complete image is roofed, manufacturing a feature (or activation) map. This can be a map of wherever the filter is powerfully activated and 'sees' a feature like a line, a dot, or a incurved edge. If a photograph of a face was fed into a CNN, at first low-level options like lines and edges ar discovered by the filters. These build up to more and more higher options in resultant layers, like a nose, eye or ear, because the feature maps become inputs for future layer within the CNN design. Convolution exploits three concepts intrinsic to perform computationally economical machine learning: sparse connections, parameter sharing (or weights sharing) and equivariant (or invariant) illustration [22]. Not like some neural networks wherever each input neuron cell is connected to each output neuron cell within the resultant layer, CNN neurons have sparse connections, which means that just some inputs are connected to future layer. By having a little, native receptive field (i.e., the world lined by the filter per stride), significant options will be bit by bit learnt, and also the range of weights to be calculated will be drastically reduced, increasing the algorithm's potency. In victimization every filter with its mounted weights across completely different positions of the complete image, CNNs cut back memory storage necessities. This can be referred to as parameter sharing. This can be in distinction to a completely connected neural network wherever the weights between layers are a lot of various, used once and so discarded. Parameter sharing ends up in the standard of equivariant illustration to arise. This implies that input translations end in a corresponding feature map translation. The convolution operation is outlined by the \* image.

##### b: RECTIFIED LINEAR UNIT (RELU) LAYER

The RELU layer is activation characteristic that units bad enter values to zero. This simplifies and quickens calculations and education, and allows to keep away from the vanishing gradient problem.

##### c: POOLING LAYER

The Pooling layer is inserted among the Convolution and RELU layers to lessen the quantity of parameters to be calculated, in addition to the scale of the photo (width and height, however

now no longer depth). Max-pooling is maximum generally used; different pooling layers encompass Average pooling and L2-normalization pooling. Max-pooling truly takes the biggest enter price inside a clear out and discards the opposite values; efficaciously it summarizes the most powerful activations over a neighborhood.

#### **d: FULLY CONNECTED LAYER**

The very last layer in a CNN is the Fully Connected Layer, which means that each neuron within side the previous layer is hooked up to each neuron within side the Fully Connected Layer. Like the convolution, RELU and pooling layers, there may be 1 or extra absolutely related layers relying on the extent of function abstraction desired. This layer takes the output from the previous layer (Convolutional, RELU or Pooling) as it enter, and computes a opportunity rating for category into the distinct to be had classes.

### **2) TRANSFER LEARNING WITH CNNs**

Unlike wellknown natural image recognition duties, clinical image evaluation lacks massive labeled training datasets. As a comparison, the Kaggle 2017 Data Science Bowl to come across tumors in CT lung scans had a dataset of about 2000 affected person scans, at the same time as ILSVRC 2017 had over 1 million images throughout one thousand object classes [23]. Transfer learning involves training a machine learning algorithm on a partially or unrelated datasets as well as labeled training dataset, to get out of the obstacle of insufficient training data. Essentially the weights found out or pre-educated throughout the education of a CNN on one (in part associated or un-associated) dataset are transferred to a 2nd CNN, that's then educated on labeled clinical statistics the usage of those weights. The weights may be carried out to a few or all layers of the CNN, besides the remaining absolutely related layer. Although switch getting to know strategies are generally utilized in clinical photo evaluation in conjunctions with CNNs, it's far really well worth noting that they may be carried out to different wellknown device getting to know algorithms as well. Shin et al. [24] explored the effect of CNN architectures and switch getting to know on detecting the presence of enlarged thoraco-stomach lymph nodes, and in classifying interstitial lung ailment on CT scans, and observed switch getting to know to be beneficial, no matter natural images being dissimilar from clinical images. Ravishankar et al. [25] checked out the project of robotically localizing the presence of a kidney on ultrasound images. Using a CNN pre-educated on Image-net, they confirmed that the extra the diploma of switch getting to know, the higher the CNN performed. Tajbakhsh et al. [26] studied the effectiveness of switch getting to know in four distinct packages throughout three imaging modalities: polyp detection on colonoscopy videos, colonoscopy video body category, pulmonary embolus detection on CT pulmonary angiograms, and segmentation of the layers of the partitions of the carotid artery on ultrasound scans.

### **3) RECURRENT NEURAL NETWORKS (RNNs)**

RNNs have traditionally been utilized in analyzing sequential data, like the words in a sentence. Thanks to their ability to generate text [27], RNNs are employed in text analysis tasks, like MT, speech recognition, language modeling, text prediction and image caption generation [28].

## **B. UNSUPERVISED LEARNING MODELS**

### **1) AUTOENCODERS**

Autoencoders learn feature representations of input file (called codings) in an unsupervised manner without labeled data. It's a model that takes input data, gleans codings from this, and then uses these codings to reconstruct output data (called reconstructions). The rationale behind

Autoencoders is that the output data must be as almost like the input data as possible, i.e., autoencoder models contain a price function which penalizes the model when inputs and outputs are different. Autoencoders have several useful features. Firstly, they're employed as feature detectors that can learn codings in an unsupervised manner, without training labels. Secondly, they reduce the model dimensionality and complexity as codings often exist during a lower dimension. Thirdly, by having to reconstruct outputs, autoencoders generate new data that's similar to the input training data.

## 2) RESTRICTED BOLTZMANN MACHINES AND DEEP BELIEF NET-WORKS

Boltzmann machines were invented by Ackley et al. [31] in 1985, and were modified as Restricted Boltzmann Machines (RBMs) a year later by Smolensky [32]. RBMs are generative, stochastic, probabilistic, bidirectional graphical models consisting of visible and hidden layers [22]. These layers are connected to every other but there are no connections within the layers themselves.

## 3) GENERATIVE ADVERSARIAL NETWORKS

Generative Adversarial Networks (GANs) [33] represent a kind of unsupervised learning which holds promise for medical image analysis tasks. As its name suggests, a GAN may be a generative model, and is analogous to a VAE in that respect.

## III. APPLICATIONS IN MEDICAL IMAGE ANALYSIS

To the researcher, CNNs are put to task for classification, localization, detection, segmentation and restoration in image analysis. Machine learning research draws a distinction between localization (draw a bounding box around one object in the image), and detection (draw bounding boxes around multiple objects, which can be from different classes). Segmentation draws outlines round the edges of target objects, and labels them (semantic segmentation). Registration refers to fitting one image (which could also be 2 or 3 dimensional) onto another. The clinician this separation of tasks isn't that crucial, and it's the authors' opinion that a pragmatic machine learning system will incorporate some or all of the tasks into a unified system

## IV. CONCLUSION

A recurring theme in machine learning is that the limit imposed by the lack of labeled datasets, which hampers training and task performance. Conversely, it's acknowledged that more data improves performance, as Sun et al. [34] shows using an indoor Google dataset of 300 million images. Generally computer vision tasks, attempts are made to dodge limited data by using smaller filters on deeper layers [37], with novel CNN architecture combinations [35], or hyperparameter optimization [36]. In medical image analysis, the shortage of data is two-fold and more acute: there is general lack of publicly available data, and top quality labeled data is even more insufficient. Most of the datasets presented during this review involve fewer than 100 patients. Yet things may not be as horrible as it seems, as despite the tiny training datasets, the papers during this review report relatively satisfactory performance in the various tasks.

## REFERENCES

- [1] C.-J. Hsiao, E. Hing, and J. Ashman, "Trends in electronic health record system use among ce-based physicians: United states, 2007\_2012," *Nat. Health Stat. Rep.*, vol. 75, pp. 1\_18, May 2014.
- [2] R. Smith-Bindman *et al.*, "Use of diagnostic imaging studies and associated radiation

- exposure for patients enrolled in large integrated health care systems, 1996\_2010," *JAMA*, vol. 307, no. 22, pp. 2400\_2409, 2012.
- [3] E. H. Shortliffe, *Computer-Based Medical Consultations: MYCIN*, vol. 2. New York, NY, USA: Elsevier, 1976.
- [4] G. Litjens *et al.* (Jun. 2017). "A survey on deep learning in medical image analysis." [Online]. Available: <https://arxiv.org/abs/1702.05747>
- [5] W. S. McCulloch and W. Pitts, "A logical calculus of the ideas immanent in nervous activity," *Bull. Math. Biol.*, vol. 5, nos. 4, pp. 115\_133, 1943.
- [6] F. Rosenblatt, "The perceptron: A probabilistic model for information storage and organization in the brain," *Psychol. Rev.*, vol. 65, no. 6, pp. 365\_386, 1958.
- [7] D. H. Hubel and T. N. Wiesel, "Receptive fields, binocular interaction and functional architecture in the cat's visual cortex," *J. Physiol.*, vol. 160, no. 1, pp. 106\_154, 1962.
- [8] K. Fukushima and S. Miyake, "Neocognitron: A self-organizing neural network model for a mechanism of visual pattern recognition," in *Competition and Cooperation in Neural Nets*. Berlin, Germany: Springer, 1982, pp. 267\_285.
- [9] Y. LeCun *et al.*, "Backpropagation applied to handwritten zip code recognition," *Neural Comput.*, vol. 1, no. 4, pp. 541\_551, 1989.
- [10] D. E. Rumelhart, G. E. Hinton, and R. J. Williams, "Learning representations by back-propagating errors," *Nature*, vol. 323, pp. 533\_536, Oct. 1986.
- [11] A. Krizhevsky, I. Sutskever, and G. E. Hinton, "ImageNet classification with deep convolutional neural networks," in *Proc. Adv. Neural Inf. Process. Syst.*, 2012, pp. 1097\_1105.
- [12] D. Shen, G. Wu, and H.-I. Suk, "Deep learning in medical image analysis," *Annu. Rev. Biomed. Eng.*, vol. 19, pp. 221\_248, Mar. 2017.
- [13] K. Suzuki, "Overview of deep learning in medical imaging," *Radiol. Phys. Technol.*, vol. 10, no. 3, pp. 257\_273, 2017.
- [14] H. Greenspan, B. van Ginneken, and R. M. Summers, "Guest editorial deep learning in medical imaging: Overview and future promise of an exciting new technique," *IEEE Trans. Med. Imag.*, vol. 35, no. 5, pp. 1153\_1159, May 2016.
- [15] D. Adams. (2017). *Publish or Perish 5*. Accessed: Oct. 30, 2017. [Online]. Available: <https://harzing.com/resources/publish-or-perish/windows>
- [16] K. Clark *et al.*, "The cancer imaging archive (TCIA): Maintaining and operating a public information repository," *J. Digit. Imag.*, vol. 26, no. 6, pp. 1045\_1057, 2013.
- [17] X. Wang, Y. Peng, L. Lu, Z. Lu, M. Bagheri, and R. M. Summers. (Dec. 2017). "ChestX-ray8: Hospital-scale chest X-ray database and benchmarks on weakly-supervised classification and localization of common thorax diseases." [Online]. Available: <https://arxiv.org/abs/1705.02315>
- [18] E. Gibson *et al.* (Oct. 2017). "NiftyNet: A deep-learning platform for medical imaging." [Online]. Available: <https://arxiv.org/abs/1709.03485>
- [19] O. Ronneberger, P. Fischer, and T. Brox, "U-net: Convolutional networks for biomedical image segmentation," in *Proc. Int. Conf. Med. Image Comput. Comput.-Assist. Intervent.*, 2015, pp. 234\_241.
- [20] F. Milletari, N. Navab, and S.-A. Ahmadi, "V-net: Fully convolutional neural networks for volumetric medical image segmentation," in *Proc. 4th Int. Conf. 3D Vis. (3DV)*, Oct. 2016, pp. 565\_571.

- [21] K. Kamnitsas *et al.*, "Efficient multi-scale 3D CNN with fully connected CRF for accurate brain lesion segmentation," *Med. Image Anal.*, vol. 36, pp. 61\_78, Feb. 2017.
- [22] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*. Cambridge, MA, USA: MIT Press, 2016.
- [23] O. Russakovsky *et al.*, "ImageNet large scale visual recognition challenge," *Int. J. Comput. Vis.*, vol. 115, no. 3, pp. 211\_252, Dec. 2015, doi: [10.1007/s11263-015-0816-y](https://doi.org/10.1007/s11263-015-0816-y).
- [24] H.-C. Shin *et al.*, "Deep convolutional neural networks for computer-aided detection: CNN architectures, dataset characteristics and transfer learning," *IEEE Trans. Med. Imag.*, vol. 35, no. 5, pp. 1285\_1298, May 2016.
- [25] H. Ravishankar *et al.*, "Understanding the mechanisms of deep transfer learning for medical images," in *Proc. Int. Workshop Large-Scale Annotation Biomed. Data Expert Label Synthesis*, 2016, pp. 188\_196.
- [26] N. Tajbakhsh *et al.*, "Convolutional neural networks for medical image analysis: Full training or fine tuning?" *IEEE Trans. Med. Imag.*, vol. 35, no. 5, pp. 1299\_1312, May 2016.
- [27] I. Sutskever, J. Martens, and G. E. Hinton, "Generating text with recurrent neural networks," in *Proc. 28th Int. Conf. Mach. Learn. (ICML)*, 2011, pp. 1017\_1024.
- [28] A. Karpathy and L. Fei-Fei, "Deep visual-semantic alignments for generating image descriptions," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2015, pp. 3128\_3137.
- [29] J. Chen, L. Yang, Y. Zhang, M. Alber, and D. Z. Chen, "Combining fully convolutional and recurrent neural networks for 3D biomedical image segmentation," in *Proc. Adv. Neural Inf. Process. Syst.*, 2016, pp. 3036\_3044.
- [30] M. F. Stollenga, W. Byeon, M. Liwicki, and J. Schmidhuber, "Parallel multi-dimensional LSTM, with application to fast biomedical volumetric image segmentation," in *Proc. Adv. Neural Inf. Process. Syst.*, 2015, pp. 2998\_3006.
- [31] D. H. Ackley, G. E. Hinton, and T. J. Sejnowski, "A learning algorithm for Boltzmann machines," *Cognit. Sci.*, vol. 9, no. 1, pp. 147\_169, 1985.
- [32] P. Smolensky, "Information processing in dynamical systems: Foundations of harmony theory," in *Parallel Distributed Processing: Explorations in the Microstructure of Cognition: Foundations*, vol. 1, D. E. Rumelhart, Ed. Cambridge, MA, USA: MIT Press, 1986, pp. 194\_281.
- [33] I. Goodfellow *et al.*, "Generative adversarial nets," in *Proc. Adv. Neural Inf. Process. Syst.*, 2014, pp. 2672\_2680.
- [34] C. Sun, A. Shrivastava, S. Singh, and A. Gupta. (Aug. 2017). "Revisiting unreasonable effectiveness of data in deep learning era." [Online]. Available: <https://arxiv.org/abs/1707.02968>
- [35] R. Socher, B. Huval, B. Bath, C. D. Manning, and A. Y. Ng, "Convolutional-recursive deep learning for 3D object classification," in *Proc. Adv. Neural Inf. Process. Syst.*, 2012, pp. 56\_664.
- [36] J. Snoek, H. Larochelle, and R. P. Adams, "Practical Bayesian optimization of machine learning algorithms," in *Proc. Adv. Neural Inf. Process. Syst.*, 2012, pp. 2951\_2959.
- [37] C. Szegedy *et al.*, "Going deeper with convolutions," in *Proc. IEEE Conf. Comput. Vis. Pattern Recognit.*, Jun. 2015, pp. 1\_9.
- [38] Durga Bhavani, K., Ferni Ukrit, M. Design of inception with deep convolutional neural network based fall detection and classification model. *Multimed Tools Appl* (2023).



<https://doi.org/10.1007/s11042-023-16476-6>

[39] K. Durga Bhavani, Dr. Radhika N. (2020). K-Means Clustering using Nature-Inspired Optimization Algorithms-A Comparative Survey. *International Journal of Advanced Science and Technology*, 29(6s), 2466-2472.

[40] K. D. Bhavani and M. F. Ukrit, "Human Fall Detection using Gaussian Mixture Model and Fall Motion Mixture Model," 2023 5th International Conference on Inventive Research in Computing Applications (ICIRCA), Coimbatore, India, 2023, pp. 1814-1818, doi: 10.1109/ICIRCA57980.2023.10220913.